EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	(opcode or op-code or (operation adj code)) same (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:35
L2	1	(opcode or op-code or (operation adj code)) same ((access adj plan) and pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:23
L3	1	((opcode or op-code or (operation adj code)) same pointer) and (access adj plan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:44
L4	914	((opcode or op-code or (operation adj code)) same pointer) and (SQL or (access adj plan) or optimiz$6 or (relational adj database) or RDBMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:35
L5	283	((opcode or op-code or (operation adj code)) same (pointer and (SQL or (access adj plan) or optimiz$6 or (relational adj database) or RDBMS)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:25
L6	39	5 and ((opcode or op-code or (operation adj code)) same pointer same function) and (SQL or (access adj plan) or optimiz$6 or (relational adj database) or RDBMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:36
L7	24	6 and pointer with ((data adj structure) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:36
L8	0	7 and (first and second) adj2 pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:30
L9	22	7 and pointers!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:30

EAST Search History

L10	20838	(opcode or op-code or (operation adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:47
L11	93	10 and SQL and optimiz$6 and ((relational adj database) or RDBMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:51
L12	8	11 and pointer with ((data adj structure) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:45
L13	1	11 and ((opcode or op-code or (operation adj code)) same pointer same function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:36
L14	3	11 and ((opcode or op-code or (operation adj code)) same pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:40
L15	8	11 and (opcode or op-code or (operation adj code)) and (pointers! with (array or table or stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:41
L16	24	10 and (SQL with optimiz$6) and ((relational adj database) or RDBMS or DBMS or (((data adj base) or database) adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:52
L17	13	16 and ((opcode or op-code or (operation adj code)) same pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:50
L18	13	17 and pointer with ((data adj structure) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:50
L19	12872	(opcode or op-code or (operation adj codes!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:49

L20	9	19 and (SQL with optimiz$6) and ((relational adj database) or RDBMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:49
L21	2359	(opcode or op-code) and (operation adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:58
L22	5	21 and (SQL with optimiz$6) and ((relational adj database) or RDBMS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:49
L23	420	21 and ((opcode or op-code or (operation adj code)) same pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:50
L24	200	23 and pointer with ((data adj structure) or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:50
L25	114	24 and call adj6 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:54
L26	10	25 and SQL and (optimiz$6 or (relational adj database) or RDBMS or DBMS or (((data adj base) or database) adj management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:53
L27	111	24 and call adj3 function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:54
L28	58	27 and lookup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:56
L29	9	27 and ("707"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 07:58

L30	9	21 and (opcode or op-code or (operation adj code)) same call same function same pointer same (convert$5 or conversion or translat$4 or replac$6 or augment$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 08:02
L31	17	(opcode or op-code or (operation adj code)) same call same function same pointer same (convert$5 or conversion or translat$4 or replac$6 or augment$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 08:03
L32	17	(opcode or op-code or (operation adj code)) with (pointer near2 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 08:04